

JUMP&GO

*Portable Jump Start
& Power Supply*

OWNER'S MANUAL




WHISTLER

PRODUCT LAYOUT

Welcome

Thank you for choosing a Whistler product. We are dedicated to providing products that represent both quality and value. Please read the user manual carefully before using this product. If you have additional questions, please visit the FAQ page on our website at www.whistlergroup.com or call toll free 800-531-0004, 8am to 5pm CT, Monday through Friday to speak to a Customer Service Representative.

Feature Description




CHARGING

Charging the JUMP&GO

1. Plug the home adaptor into any standard 110V AC outlet.
2. Connect the other end of the home adaptor to the 12V DC IN Charging Port.

-or-

1. Plug the car adaptor into the socket of the vehicle aux power.
2. Connect the other end of the car adaptor to the 12V DC IN Charging Port.



Indicator Lights

Press the power button to check the level of the **JUMP&GO** battery. Number of lights ON indicate percentage of charge available. (1=20%, 2=40%, 3=60%, 4=80%, 5=100%)

NOTE:

- The Jump & Go should be charged before initial use.
- A minimum of 3 indicator lights must be illuminated before attempting to jump start a vehicle.
- The Jump&Go will flash all 5 battery indicators simultaneously and provide an audible beep if the input charging voltage is too low or too high. To properly charge your Jump&Go with the Car Charger, the DC input voltage should be 12.6 to 16 volts (Vehicle charging system when vehicle engine is running).

CHARGING / JUMP STARTING

When charging, the LED indicator lights will sequentially flash. The percentage of charge completed is indicated by the number of solid lights as charging progresses. The **JUMP&GO** is fully charged when all lights are solid.

NOTE: A minimum of 3 indicator lights must be illuminated before attempting to jump start a vehicle.

For charging / powering devices using USB port

1. Plug the USB cable of the device into the USB output port of the **JUMP&GO**.
2. Press the **JUMP&GO** power button to initiate charging / power to the attached device.




For jump starting 12V vehicle

1. Before attempting to start 12V vehicle, please make sure at least 3 LED lights are illuminated on the **JUMP&GO** when pressing the power button.
2. Connect the Red clamp to the battery Positive (+) and Black clamp to the battery Negative (-) terminals, making sure they have a good connection.
3. Insert the blue connector firmly into the Jump Start port. (If below 32 deg. F, please allow a few minutes before starting the vehicle)
4. Start the vehicle. Once started, unplug the blue connector from the **JUMP&GO**, then remove the battery clamps.

FLASHLIGHT FUNCTION

Flashlight LED Illumination

Press and hold the power button for 3 seconds to initiate the flashlight. Once the flashlight is on, a press and release of the power button will change to an alternate mode of operation in the order listed below. To shut the flashlight off, you must cycle thru the selections.



FLASHLIGHT→BEACON→STROBE→SOS→OFF

FAQ'S & SPECIFICATIONS

Q: How to turn off the JUMP&GO?

A: This appliance will power off automatically when no load or charging is detected

Q: How many times can the JUMP&GO charge my mobile phone?

A: Approximately 7 times depending on phone

Q: How long will the JUMP&GO take to fully charge my mobile phone?

A: 1-2 hours depending on phone

Q: How many times can a fully charged JUMP&GO start the vehicle?

A: 10-20 times depending on vehicle

Q: How long wil the Jump&Go hold a charge?

A: The Jump&Go will hold a charge over 1 year.

SPECIFICATIONS

SIZE: 130mm x 78mm x 24mm (5.1" x 3.0" x 0.9")

WEIGHT: <1 lb. with silicone cover

BATTERY CAPACITY: 33300 mWh

OUTPUT: 5V=2.1A; 12V=HIGH CURRENT*

INPUT: 12V < 2A

FULL CHARGING TIME: 3-4 hours

***STARTING CURRENT:** 200A

***PEAK CURRENT:** 400A

OPERATING/STORAGE TEMP: -20°C to 60°C / (-4°F to 140°F)

LIFETIME: >1000 Cycles

WARRANTY INFORMATION

Consumer Warranty

This Whistler product is warranted to the original purchaser for a period of one (1) year from the date of original purchase against all defects in materials and workmanship, when purchased from an authorized Whistler retailer. **This limited warranty is void if the unit is abused, misused, modified, installed improperly, or if the housing and/or serial numbers have been removed.**

There are no express warranties covering this product other than those set forth in this warranty. All express or implied warranties for this product are limited to one (1) year. *Whistler is not liable for damages arising from the use, misuse, or operation of this product including but not limited to loss of time, inconvenience, loss of use of your product or property damage caused by your product or its failure to work, or any other incidental or consequential damages including personal injury.*

DO NOT RETURN ITEM TO STORE WHERE PURCHASED.

FOR WARRANTY INFORMATION, CONTACT WHISTLER CUSTOMER SERVICE AT 1-800-531-0004.

Representatives are available to answer your questions Monday – Friday from 8:00 a.m. to 5:00 p.m. CT

Service Under Warranty

During the warranty period, defective units will be repaired or replaced (with the same or a comparable model), at Whistler's option, without charge to the purchaser when returned prepaid, with dated proof of purchase to the address below. Units returned without dated proof of purchase will be considered out of warranty and therefore are not covered by the described Limited Warranty. (Refer to Service Out of Warranty section.)

Due to the specialized equipment necessary for testing Whistler products, there are no authorized service centers other than Whistler. When returning a unit for service under warranty, please follow these instructions:

1. Ship the unit in the original carton or in a suitable sturdy equivalent, fully insured, with return receipt requested to:

Whistler Repair Dept.
1412 South 1st St.
Rogers, AR. 72756

Please allow 3 weeks turnaround time.

WARRANTY INFORMATION

IMPORTANT: Whistler will not assume responsibility for loss or damage incurred in shipping. Therefore, please ship your unit insured with return receipt requested. **CODs will not be accepted!**

2. Include with your unit the following information, clearly printed:
 - Your name and physical street address for shipping (no PO Boxes), a daytime telephone number, and an email address (if applicable).
 - A detailed description of the problem (e.g., "device will not power ON").
 - A copy of your dated proof of purchase or bill of sale.
3. Be certain your unit is returned with its serial number. Units without serial numbers are not covered under warranty.

IMPORTANT: To validate that your unit is within the warranty period, make sure you keep a copy of your dated proof of purchase. For warranty verification purposes, a copy of your dated store receipt must accompany any Whistler product sent in for warranty work.

Service Out Of Warranty

Units will be repaired at "out of warranty" service rates when:

- The unit's original warranty has expired.
- A dated proof of purchase is not supplied.
- The unit has been returned without its serial number.
- The unit has been misused, abused, modified, installed improperly, or had its housing removed.

The minimum out of warranty service fee for your Whistler Jump & Go is \$50.00 (U.S.). If you require out of warranty service, please return your unit as outlined in the section "Service Under Warranty" along with a cashier's check or money order in the amount of \$50.00. Payment may also be made by MasterCard, VISA or American Express. **Personal checks are not accepted.**

WARRANTY INFORMATION

In the event repairs cannot be covered by the minimum service fee, you will be contacted by a Whistler technical service specialist who will outline options available to you.

IMPORTANT: When returning your unit for service, be certain to include a daytime telephone number and an email address (if applicable).

Customer Service

If you have questions concerning the operation of your Whistler product, or require service during or after the warranty period, please call Customer Service at **1-800-531-0004**.

Representatives are available to answer your questions Monday - Friday from 8:00 a.m. to 5:00 p.m. (CT) or visit the F.A.Q.'s at www.whistlergroup.com.

CORPORATE HEADQUARTERS

1716 SW Commerce Dr. Ste. 8

Bentonville, AR 72712

Toll Free (800) 531-0004

TEL (479) 273-6012

FX (479) 273-2927

www.whistlergroup.com

CUSTOMER RETURN CENTER

1412 South 1st St.

Rogers, AR 72756

Customer Service Tel (800) 531-0004

Email: info@whistlergroup.com

P/N 404001

Rev.1 © 04/2014 The Whistler Group, Inc.